

# Safety Data Sheet dated 7/12/2015, version 3.7.1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier Mixture identification: SPIRIT37 liquid Trade name: Trade code: 55550/50 1.2. Relevant identified uses of the substance or mixture and uses advised against Recommended use: Lubricant, releasing agent silicone 1.3. Details of the supplier of the safety data sheet Company: Strima Sp. z o.o. Swadzim, ul. Poznańska 54 62-080 Tarnowo Podgórne Competent person responsible for the safety data sheet: mail@strima.com 1.4. Emergency telephone number Strima Sp. z o.o. +48 61 8950950

#### **SECTION 2: Hazards identification**

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)

Danger, Asp. Tox. 1, May be fatal if swallowed and enters airways.

Adverse physicochemical, human health and environmental effects: No other hazards 2.2. Label elements Symbols:



Danger Hazard statements: H304 May be fatal if swallowed and enters airways. Precautionary statements: P102 Keep out of reach of children. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor/... P331 Do NOT induce vomiting. P405 Store locked up. P501 Dispose of contents/container in accordance with applicable regulations. Special Provisions: The manufacturer cannot be held responsible in case of damages caused by incorrect use of the product. Contents Hydrocarbons, C10-C13, n-alkanes, <2% aromatics Special provisions according to Annex XVII of REACH and subsequent amendments: Restricted to professional users. 2.3. Other hazards vPvB Substances: None - PBT Substances: None Other Hazards: No other hazards

#### SECTION 3: Composition/information on ingredients

3.1. Substances N.A. 3.2. Mixtures

Hazardous components within the meaning of CLP regulation and related classification:

>= 80% - < 90% Hydrocarbons, C10-C13, n-alkanes, <2% aromatics REACH No.: 01-2119475608-26, EC: 929-018-5

3.10/1 Asp. Tox. 1 H304

Scheda di sicurezza del 7/12/2015, revisione 3.7.1 Page n. 1 of 6

For the wording of the listed hazard statements refer to section 16.

# SECTION 4: First aid measures

4.1. Description of first aid measures

- In case of skin contact:
  - Immediately take off all contaminated clothing.
    - Areas of the body that have or are only even suspected of having come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap.
  - Wash thoroughly the body (shower or bath).
  - Remove contaminated clothing immediately and dispose off safely.
- In case of eyes contact:
- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- In case of Ingestion:
- Do NOT induce vomiting.
- In case of Inhalation:
  - Remove casualty to fresh air and keep warm and at rest.
- 4.2. Most important symptoms and effects, both acute and delayed
- None
- 4.3. Indication of any immediate medical attention and special treatment needed
  - In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).
    - Treatment: None

## **SECTION 5: Firefighting measures**

- 5.1. Extinguishing media
  - Suitable extinguishing media: Water, Carbon dioxide (CO2).
  - Extinguishing media which must not be used for safety reasons: None in particular.
- 5.2. Special hazards arising from the substance or mixture
  - Do not inhale explosion and combustion gases.
- Burning produces heavy smoke.
- 5.3. Advice for firefighters

Use suitable breathing apparatus . Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Move undamaged containers from immediate hazard area if it can be done safely.

#### **SECTION 6: Accidental release measures**

- 6.1. Personal precautions, protective equipment and emergency procedures Wear personal protection equipment. Remove persons to safety.
  - See protective measures under point 7 and 8.
- 6.2. Environmental precautions
  - Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.
  - Retain contaminated washing water and dispose it.
    - In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.
    - Suitable material for taking up: absorbing material, organic, sand
- 6.3. Methods and material for containment and cleaning up
- Wash with plenty of water.
- 6.4. Reference to other sections
  - See also section 8 and 13

# SECTION 7: Handling and storage

- 7.1. Precautions for safe handling
  - Avoid contact with skin and eyes, inhalation of vapours and mists.
  - Don't use empty container before they have been cleaned.
  - Before making transfer operations, assure that there aren't any incompatible material residuals in the containers. Contamined clothing should be changed before entering eating areas.
  - Do not eat or drink while working.
  - See also section 8 for recommended protective equipment.
  - 7.2. Conditions for safe storage, including any incompatibilities

Scheda di sicurezza del 7/12/2015, revisione 3.7.1

Keep away from direct sunlight Keep in fresh and dry place. Keep containers upright avoiding the possibility of falls or collisions. Keep away from food, drink and feed. Incompatible materials: None in particular. See also section number 10 Instructions as regards storage premises: Adequately ventilated premises. 7.3. Specific end use(s)

None in particular

#### SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No occupational exposure limit available

**DNEL Exposure Limit Values** 

N.A.

PNEC Exposure Limit Values

N.A.

8.2. Exposure controls

Eye protection:

Wear goggles with lateral protection EN166.

If exposure to vapours cause a sense of bother to eyes, use antigas mask with complete facial. Protection for skin:

It is not necessary in case of brief contact except for wearing antistatic clean and covering garments.

In case of long and frequent contact use protective and waterproof garments to this material.

Choosing specific protection as peak, gloves, boots, overalls depends on the type of operations.

#### Protection for hands:

During manipulation is necessary protect hands with gloves resistant to chemical products Type EN374 (PVC, PE, neoprene, Nitrile, Viton, not natural Rubber). It is recommended gloves with Protective Index 6: corresponding to >480min of permeation according to EN374, Thickness >0,3mm. Change used gloves in case of signs, cracks or internal contamination.

#### Respiratory protection:

The levels of air concentration should be maintained under the exposure limits. If inhalation are over exposure limit use a supplied air respirator with cartridge filter. Filter type EN 141.

# Thermal Hazards:

None Environmental exposure controls:

Keep the container and use the product only in well ventilated place. A located ventilation may be necessary for

some operations.

### **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

nfo	ormation on basic physical and chemical	l properties
	Appearance and colour:	Clear uncolour liquid
	Odour:	Odorless
	Odour threshold:	N.A.
	pH:	N.A.
	Melting point / freezing point:	N.A.
	Initial boiling point and boiling range:	>180 °C
	Solid/gas flammability:	No
	Upper/lower flammability or explosive li	mits: L.E.L/U.E.L. 0,6-7%
	Vapour density:	>1
	Flash point:	72 ° C
	Evaporation rate:	N.A.
	Vapour pressure:	<1 KPa (a 20°C)
	Relative density:	0,78 g/ml (a 25°C)
	Solubility in water:	No
	Solubility in oil:	Yes, in aliphatic, aromatic, chlorinated hydrocarbons
	Partition coefficient (n-octanol/water):	6
	Auto-ignition temperature:	>200°C
	Decomposition temperature:	N.A.
	Viscosity:	10 mPas (25°C)
	Explosive properties:	N.A.

Scheda di sicurezza del 7/12/2015, revisione 3.7.1 Page n. 3 of 6

N.A.
N.A.
N.A.
N.A.
N.A.

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

- Stable under normal conditions
- 10.2. Chemical stability
  - Stable under normal conditions
- 10.3. Possibility of hazardous reactions None
- 10.4. Conditions to avoid
- Stable under normal conditions.
- 10.5. Incompatible materials
- None in particular.
- 10.6. Hazardous decomposition products None.

#### **SECTION 11: Toxicological information**

- 11.1. Information on toxicological effects
- Toxicological information of the mixture:

#### ΝΑ

- Toxicological information of the main substances found in the mixture:
  - Hydrocarbons, C10-C13, n-alkanes, <2% aromatics

a) acute toxicity:

- Test: LD50 Route: Oral Species: Rat > 2000 mg/kg Source: OECD 401
- Test: LD50 Route: Skin Species: Rabbit > 2000 mg/kg
- Test: LC50 Route: Inhalation Species: Rat > 5 mg/l Duration: 8h Source: OECD 403
- If not differently specified, the information required in Regulation 453/2010/EC listed below must be considered as N.A.:
  - a) acute toxicity;
  - b) skin corrosion/irritation;
  - c) serious eye damage/irritation;
  - d) respiratory or skin sensitisation;
  - e) germ cell mutagenicity;
  - f) carcinogenicity;
  - g) reproductive toxicity;

  - h) STOT-single exposure;
  - i) STOT-repeated exposure;
  - j) aspiration hazard.

#### SECTION 12: Ecological information

#### 12.1. Toxicity

- Adopt good working practices, so that the product is not released into the environment.
- Hydrocarbons, C10-C13, n-alkanes, <2% aromatics
- a) Aquatic acute toxicity:
  - Endpoint: LC50 Species: Fish (Oncorhynchus mykiss) > 10-100 mg/l Duration h: 96 Notes: OECD 203 Endpoint: LC50 - Species: Daphnia magna > 100 mg/l - Duration h: 48
  - Endpoint: EC50 Species: Algae > 100 mg/l Duration h: 72 Notes: Skeletonema costantum
- 12.2. Persistence and degradability
  - None

N.A.

- 12.3. Bioaccumulative potential
  - N.A.
- 12.4. Mobility in soil
- N.A.
- 12.5. Results of PBT and vPvB assessment
  - vPvB Substances: None PBT Substances: None
- 12.6. Other adverse effects

Scheda di sicurezza del 7/12/2015, revisione 3.7.1

None

## **SECTION 13: Disposal considerations**

13.1. Waste treatment methods

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

#### **SECTION 14: Transport information**

14.1. UN number, 14.2. UN proper shipping name, 14.3. Transport hazard class(es), 14.4. Packing group Not hazardous for transport

No

- 14.5. Environmental hazards
- Marine pollutant:

14.6. Special precautions for user

N.A.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code N.A.

#### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Dir. 67/548/EEC (Classification, packaging and labelling of dangerous substances)
  - Dir. 99/45/EC (Classification, packaging and labelling of dangerous preparations) Dir. 98/24/EC (Risks related to chemical agents at work)
  - Dir. 2000/39/EC (Occupational exposure limit values)
  - Dir. 2006/8/EC
  - Regulation (EC) n. 1907/2006 (REACH)
  - Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013, Regulation (EU) n. 453/2010 (Annex I)

Regulation (EU) n. 286/2011 (ATP 2 CLP), Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP), Regulation (EU) n. 944/2013 (ATP 5 CLP)

Regulation (EU) n. 605/2014 (ATP 6 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications: None

Where applicable, refer to the following regulatory provisions :

Directive 2003/105/CE ('Activities linked to risks of serious accidents') and subsequent amendments.

Regulation (EC) nr 648/2004 (detergents).

1999/13/EC (VOC directive)

Provisions related to directives 82/501/EC(Seveso), 96/82/EC(Seveso II): N.A.

15.2. Chemical safety assessment

No

# **SECTION 16: Other information**

Full text of phrases referred to in Section 3:

H304 May be fatal if swallowed and enters airways.

Classification of substances according to 1272/2008/CE (CLP-GHS) and further ATP and Regulation 790/2009/CE. SDS drafted in accordance with 1907/2006/CE REACH and 453/2010/CE.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX'S DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold CCNL - Appendix 1

Insert further consulted bibliography

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended. This MSDS cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
CAS: CLP:	Chemical Abstracts Service (division of the American Chemical Society).
CLP.	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.

Scheda di sicurezza del 7/12/2015, revisione 3.7.1

EINECS: GefStoffVO: GHS: IATA: IATA-DGR: ICAO: ICAO-TI:	European Inventory of Existing Commercial Chemical Substances. Ordinance on Hazardous Substances, Germany. Globally Harmonized System of Classification and Labeling of Chemicals. International Air Transport Association. Dangerous Goods Regulation by the "International Air Transport Association" (IATA). International Civil Aviation Organization. Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
LTE:	Long-term exposure.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STE:	Short-term exposure.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWATLV:	Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).
WGK:	German Water Hazard Class.